



HOSPITAL BEDS & FURNISHINGS

Solutions Start Here



1

ICU BEDS

SMP-8000 ELITE AND SMP-8000	1
SMP-6750	3
SMP-5000	5

2

GENERAL PATIENT BEDS

SMP-550EL	7
SMP-525EL	8
SMP-313CB	9
SMP-313EL	10

3

HOMECARE BEDS

SMP-HC1000	11
SMP-HC900	12
SMP-HC800	13
SMP-HC700	14

4

MANUAL BEDS

SMP-375MT	15
SMP-350ML	17
SMP-300ML	18
SMP-200	19
SMP-100	20

5

TRANSPORT STRETCHERS

SMP-2500	21
SMP-2000	22
SMP-450ML	23

6

PATIENT ROOM FURNISHINGS

BEDSIDE CABINETS	25
OVERBED TABLES	29
PATIENT ROOM SEATING	31
EXAMINATION TABLE	33
PATIENT ROOM STORAGE	34

7

TROLLEYS

	35
--	----





Integrated side rail control panel



Bed extension



Reflectorized footboard



Dual LCD weight scale display

SMP-8000



SMP-8000 ELITE

SMP-8000

BED POSITION



FEATURES AND BENEFITS

- Comprehensive integrated weight scale (8000 ELITE)
- Power operated headrest, legrest and height adjustment
- Trendelenburg/Reverse Trendelenburg
- Easy to remove ABS head/foot boards
- Foldable, tuck-away, luxury side rails made of polyurethane ABS with patient and nurse controls
- Manual CPR
- Accessory slots
- Dual LCD weight scale display
- LINAK hand controller
- One touch chair position function
- Protective rubber bumpers on each corner
- Back-up battery
- Dual castors with central brake
- Angle indicator
- X-ray translucent back-rest (optional)
- 6 LINAK motors
- Drainage hooks
- Bed extension (200 mm)

TECHNICAL DETAILS

Size:

(L) 86.6 x (W) 40.1 x (H) 20.6-38 (unit of measure: in.)
(L) 2200 x (W) 1020 x (H) 525-965 (unit of measure: mm)

Castor size: 6 in. (150 mm) dual castors

Mattress Thickness: 6 in. (150 mm)

Back angle: 0-75° (±5°)

Leg angle: 0-45° (±5°)

Trendelenburg & Reverse Trendelenburg angle: 0-15°

Maximum load capacity: 300 kg. (661 lbs.)

ACCESSORIES



Height adjustable IV pole



Air mattress

SMP-6750



Bed extension



Bed extension



Bed extension



Bed extension



BED POSITION



FEATURES AND BENEFITS

- Comprehensive integrated weight scale
- Power operated back-rest, leg-rest and height control
- Power operated trendelenburg, reverse trendelenburg, lateral tilt, fowler and vascular position
- Lockable and tuck away ABS side rails
- Easy to remove head / foot boards
- Electromagnetic powder coated bed frame
- LINAK motors
- Bed exit alarm
- CPR function
- Back-up battery (up to 8 hours of battery life)
- Central brake
- Noiseless dual castors
- Angle indicator
- Drainage hooks
- Foot end integrated nurse control panel
- Patient control unit

TECHNICAL DETAILS

- Size:**
(L) 87.8 x (W) 40.0 x (H) 17.7-31.1 (unit of measure: in.)
(L) 2230 x (W) 990 x (H) 450-790 (unit of measure: mm)
- Castor size:** 6 in. (150 mm) dual castors
- Product weight:** 170 kg. (375 lbs.)
- Safe working load:** 300 kg. (661 lbs.)
- Back angle:** 0 - 75° (±5°)
- Leg angle:** 0 - 45° (±5°)
- Trendelenburg & Reverse Trendelenburg angle:** 0 -12°
- Lateral tilt:** 0 - 30° (left and right)

ACCESSORIES



IV pole with four hooks



Anti bedsore mattress



Lateral tilt



Trendelenburg & Reverse Trendelenburg

SMP-5000



Bed extension




Bed extension



Bed extension



Bed extension



BED POSITION



FEATURES AND BENEFITS

- Comprehensive integrated weight scale with memory function
- Power operated back-rest, leg-rest and height control
- Power operated trendelenburg, reverse trendelenburg, fowler and vascular position
- Lockable and tuck away ABS side rails
- Easy to remove head / foot boards
- Electromagnetic powder coated bed frame
- LINAK motors
- Bed exit alarm
- CPR function
- Back-up battery (up to 8 hours of battery life)
- Central brake
- Noiseless dual castors
- Angle indicator
- Drainage hooks
- 8 pc. noiseless dual castors
- Foot end integrated nurse control panel
- Patient control unit
- Retractable IV pole

TECHNICAL DETAILS

- Size:**
 - (L) 88.6 x (W) 41.3 x (H) 17.7-31.1 (unit of measure: in.)
 - (L) 2250 x (W) 1050 x (H) 450-790 (unit of measure: mm)
- Castor size:** 5 in. (125 mm) dual castors
- Product weight:** 170 kg. (375 lbs.)
- Safe working load:** 250 kg. (551 lbs.)
- Back angle:** 0-75° (±5°)
- Leg angle:** 0-45° (±5°)
- Trendelenburg & Reverse Trendelenburg angle:** 0-12°

ACCESSORIES




IV pole with four hooks



Anti bedsore mattress



SMP-550EL



Bed extension



Bed extension





Bed extension



Bed extension




ACCESSORIES

Full nurse control panel
(optional)

IV pole with four hooks

High density
anti-bedsore mattress

BED POSITION




FEATURES AND BENEFITS

- Heavy duty frame
- Extraordinary one button function puts the bed in ideal position for patient transport
- Central brake (550EL electronic central brake)
- Back-up battery
- Patient lockout controls

TECHNICAL DETAILS

- Size:**
(L) 91.3 x (W) 41.3 x (H) 20.9-28 (unit of measure: in.)
(L) 2320 x (W) 1050 x (H) 530-70 (unit of measure: mm)
- Castor size:** 5 in. (125 mm) dual castors
- Back angle:** 0-65° (±5°)
- Leg angle:** 0-45° (±5°)
- Trendelenburg & Reverse Trendelenburg angle:** 0-10°
- Maximum load capacity:** 250 kg. (5511 lbs.)

SMP-525EL



Bed extension



Bed extension





Bed extension



Bed extension



ACCESSORIES

Full nurse control panel
(optional)

IV pole with four hooks

High density
anti-bedsore mattress

BED POSITION



FEATURES AND BENEFITS

- Heavy duty frame
- Extraordinary one button function puts the bed in ideal position for patient transport
- Central brake (550EL electronic central brake)
- Back-up battery
- Patient lockout controls

TECHNICAL DETAILS

- Size:**
(L) 85.4 x (W) 37.4 x (H) 18.9-26.8 (unit of measure: in.)
(L) 2170 x (W) 950 x (H) 480-680 (unit of measure: mm)
- Castor size:** 5 in. (125 mm) dual castors
- Back angle:** 0-65° (±5°)
- Leg angle:** 0-45° (±5°)
- Trendelenburg & Reverse Trendelenburg angle:** 0-10°
- Maximum load capacity:** 250 kg. (5511 lbs.)


SMP-313CB



Bed extension



Bed extension



Bed extension



Bed extension



BED POSITION



FEATURES AND BENEFITS

Heavy duty frame

Back-up battery

Channel frame construction provides superior strength

3 electro motors

Side bumpers included

Conforms to ISO 13485:2003

TECHNICAL DETAILS


Size:

(L) 88.2 x (W) 43.3 x (H) 15.7-27.6 (unit of measure: in.)


(L) 2130 x (W) 980 x (H) 400-700 (unit of measure: mm)

Castor size: 5 in. (125 mm) dual castors**Back angle:** 0-80° (±5°)**Leg angle:** 0-40° (±5°)**Maximum load capacity:** 280 kg. (617 lbs.)

ACCESSORIES



Full nurse control panel (optional)



IV pole with four hooks



High density anti-bedsore mattress

SMP-313EL



Bed extension



Bed extension



Bed extension



Bed extension

BED POSITION



FEATURES AND BENEFITS

Heavy duty frame

Back-up battery

Channel frame construction provides superior strength

3 electro motors

Side bumpers included

Conforms to ISO 13485:2003

TECHNICAL DETAILS


Size:

(L) 88.2 x (W) 43.3 x (H) 13.8-27.6.2 (unit of measure: in.)


(L) 2130 x (W) 980 x (H) 350-700 (unit of measure: mm)

Castor size: 5 in. (125 mm) single castors**Back angle:** 0-80° (±5°)**Leg angle:** 0-40° (±5°)**Maximum load capacity:** 280 kg. (617 lbs.)

ACCESSORIES



Full nurse control panel (optional)



IV pole with four hooks



High density anti-bedsore mattress

SMP-HC1000



BED POSITION



FEATURES AND BENEFITS

- Ultra-low height (250 mm)
- 4 LINAK motors
- Power operated back-rest, leg-rest and height control
- Power operated trendelenburg, reverse trendelenburg, fowler and vascular position
- Collapsible aluminum side rails
- Premium HPL head / foot boards and bed frame to match room decor
- 4 pc. electro-static mesh bed litter
- Electromagnetic powder coated bed frame
- 4 accessory slots for IV pole, lifting pole or orthopedic frame
- Bed exit alarm
- CPR function
- Night light
- Back-up battery (up to 8 hours of battery life)
- Central brake
- 8 pc. noiseless dual castors
- Handheld LINAK nurse control unit
- LINAK patient hand controller
- Lifting pole


TECHNICAL DETAILS

- Size:**
(L) 86.6 x (W) 43.3 x (H) 9.8-25.6 (unit of measure: in.)
(L) 2200 x (W) 1100 x (H) 250-650 (unit of measure: mm)
- Bed surface area:**
(L) 79.9 x (W) 35.4 x (H) 9.8-25.6 (unit of measure: in.)
(L) 2030 x (W) 900 x (H) 250-650 (unit of measure: mm)
- Castor size:** 5 in. (125 mm) dual castors
- Product weight:** 160 kg. 300 kg. (661 lbs.)
- Safe working load:** 200 kg. (440 lbs.)
- Back angle:** 0-75° (±5°)
- Leg angle:** 0-35° (±5°)
- Trendelenburg & Reverse Trendelenburg angle:** 0-13°

ACCESSORIES



Lifting pole
(optional)



High density coco
and palm fibre mattress

SMP-HC900



Bed extension



Bed extension



Bed extension



Bed extension



BED POSITION




FEATURES AND BENEFITS

- Electrostatic powder coated steel bed frame with ventilated holes
- Detachable high quality wooden head & foot boards
- Collapsible tuck away side rails
- Patient hand controller
- Solid wood exterior
- 3 motors
- 2 IV pole locations


TECHNICAL DETAILS

- Size:**
(L) 81.9 x (W) 39.6 x (H) 13.6-24 (unit of measure: in.)
(L) 2080 x (W) 1006 x (H) 345-610 (unit of measure: mm)
- Back angle:** 0-75° (±5°)
- Leg angle:** 0-45° (±5°)
- Maximum load capacity:** 100 kg. (220 lbs.)

ACCESSORIES



IV pole with four hooks



Water proof mattress



High density
anti-bedsore mattress

SMP-HC800



Bed extension



Bed extension



Bed extension



Bed extension

BED POSITION



FEATURES AND BENEFITS

- Electrostatic powder coated steel bed frame with ventilated holes
- Detachable high quality wooden head & foot boards
- Solid wood exterior
- 2 motors
- 2 IV pole locations

TECHNICAL DETAILS

- Size:**
(L) 82.7 x (W) 44.7 x (H) 15 (unit of measure: in.)
(L) 2100 x (W) 1135 x (H) 380- (unit of measure: mm)
- Back angle:** 0-75° (±5°)
- Leg angle:** 0-45° (±5°)
- Maximum load capacity:** 75 kg. (165 lbs.)

ACCESSORIES

IV pole with four hooks

Water proof mattress

High density anti-bedsore mattress

SMP-HC700



Bed extension



Bed extension



Bed extension



Bed extension

BED POSITION



FEATURES AND BENEFITS

- Channel frame construction provides superior strength and reduces weight
- Heavy duty frame
- Electrostatic powder coated frame
- Solid wood exterior
- 2 motors
- 2 IV pole locations

TECHNICAL DETAILS

- Size:**
(L) 84.3 x (W) 40.2 x (H) 15.8 (unit of measure: in.)
(L) 2140 x (W) 1020 x (H) 400 (unit of measure: mm)
- Back angle:** 0-85° (±5°)
- Leg angle:** 0-40° (±5°)
- Maximum load capacity:** 280 kg. (617 lbs.)

ACCESSORIES

IV pole with four hooks

Water proof mattress

High density anti-bedsore mattress

SMP-375MT



Bed extension



Bed extension

BED POSITION



FEATURES AND BENEFITS

- Heavy duty frame
- Central brake
- Dual castors
- Trendelenburg & Reverse Trendelenburg
- Quad crank system
- Soft connection body contour frame
- Innovative breathable bed litter

TECHNICAL DETAILS

Size:

(L) 86.6 x (W) 41.3 x (H) 23.2-26.8 (unit of measure: in.)
(L) 2200 x (W) 1050 x (H) 590-680 (unit of measure: mm)

Castor Size: 5 in. (125 mm) single castors


Back angle: 0-70° (±5°)

Leg angle: 0-40° (±5°)


Trendelenburg & Reverse Trendelenburg angle: 0-10°

Maximum load capacity: 250 kg. (551 lbs.)

ACCESSORIES



IV pole with four hooks



Water proof mattress



High density
anti-bedsore mattress



SMP-350ML



Bed extension



Bed extension



BED POSITION




FEATURES AND BENEFITS

Heavy duty frame
Exceptionally low height promotes proper positioning for safe patient entry and exit
Side bumpers included
Full side rail positioning ensures patient safety, essential in any acute care environment
Collapsible tuck away side rails
Kitty corner castor brake
Detachable head/ foot boards


TECHNICAL DETAILS

Size:
(L) 83.9 x (W) 38.5 x (H) 11-22.8 (unit of measure: in.)
(L) 2130 x (W) 980 x (H) 280-500 (unit of measure: mm)
Castor Size: 5 in. (125 mm) single castors
Back angle: 0-80° (±5°)
Leg angle: 0-40° (±5°)
Maximum load capacity: 280 kg. (617 lbs.)

ACCESSORIES



IV pole with four hooks



Water proof mattress

High density
anti-bedsore mattress

SMP-300ML



Bed extension



Bed extension

BED POSITION




FEATURES AND BENEFITS

Heavy duty frame
One handed side rail release
Side bumpers included
4 luxury rails
Central brake
Detachable head/ foot boards


TECHNICAL DETAILS

Size:
(L) 88.2 x (W) 43.3 x (H) 17.7-27.6 (unit of measure: in.)
(L) 2130 x (W) 980 x (H) 450-700 (unit of measure: mm)
Castor Size: 5 in. (125 mm) dual castors
Back angle: 0-80° (±5°)
Leg angle: 0-40° (±5°)
Maximum load capacity: 280 kg. (617 lbs.)

ACCESSORIES



IV pole with four hooks



Water proof mattress

High density
anti-bedsore mattress

SMP-200ML



Bed extension



Bed extension



BED POSITION



FEATURES AND BENEFITS

- Heavy duty metal frame resists twisting and bending
- Channel frame construction provides superior strength
- Side bumpers included
- Electrostatic powder coated frame
- Collapsible tuck away side rails
- 2 IV pole locations
- 5 inch castors

TECHNICAL DETAILS

Size:
(L) 88.2 x (W) 43.3 x (H) 19.7 (unit of measure: in.)
(L) 2130 x (W) 980 x (H) 500 (unit of measure: mm)


Castor Size: 5 in. (125 mm) single castors

Back angle: 0-80° (±5°)


Leg angle: 0-40° (±5°)

Maximum load capacity: 280 kg. (617 lbs.)

ACCESSORIES



IV pole with four hooks



Water proof mattress



High density
anti-bedsore mattress

SMP-100ML



Bed extension



Bed extension

BED POSITION



FEATURES AND BENEFITS

- Heavy duty metal frame resists twisting and bending
- Channel frame construction provides superior strength
- Side bumpers included
- Electrostatic powder coated frame
- Collapsible tuck away side rails
- 2 IV pole locations
- 5 inch castors

TECHNICAL DETAILS


Size:
(L) 88.2 x (W) 43.3 x (H) 19.7 (unit of measure: in.)
(L) 2130 x (W) 980 x (H) 500 (unit of measure: mm)

Castor Size: 5 in. (125 mm) single castors


Back angle: 0-80° (±5°)

Maximum load capacity: 280 kg. (617 lbs.)

ACCESSORIES



IV pole with four hooks



Water proof mattress



High density
anti-bedsore mattress


SMP-2500



Bed extension



Bed extension



Bed extension



Bed extension



BED POSITION



FEATURES AND BENEFITS

- Steel frame construction
- Adjustable back and leg-rest operated via hydraulic gas springs
- Height adjustment operated via hydraulic gas springs
- Trendelenburg and reverse Trendelenburg operated via gas springs
- Central brake
- Back-rest made from x-ray translucent surface with x-ray cassette holder
- Foot controls located on both sides of the stretcher
- CPR function
- Stainless steel collapsible handrails
- Detachable IV pole
- Crash bumpers
- Transfer stretcher connectivity


TECHNICAL DETAILS

- Size:**
(L) 83.5 x (W) 33.5 x (H) 23.6-37.4 (unit of measure: in.)
(L) 2120 x (W) 850 x (H) 600-950 (unit of measure: mm)
- Castor size:** 8 in. (200 mm)
- Safe working load:** 150 kg. (330 lbs.)
- Back angle:** 0-75° (±5°)
- Leg angle:** 0-45° (±5°)
- Trendelenburg & Reverse Trendelenburg angle:** 0-15°

ACCESSORIES




IV pole with four hooks



High density coco and palm fibre mattress

SMP-2000



Full X-ray translucent surface



Collapsible side rails



BED POSITION



FEATURES AND BENEFITS

- Inclined back rest adjusted via gas spring
- Trendelenburg/Reverse Trendelenburg
- Retractable fifth wheel for increased stability and maneuverability
- Height adjustment and trendelenburg operated via gas springs
- Central brake
- Full length X-ray translucent surface
- Oxygen tank holder
- Urine bag holder
- Accessory slots


TECHNICAL DETAILS

- Size:**
(L) 81 x (W) 33.3 x (H) 32.9-42.2 (unit of measure: in.)
(L) 2057 x (W) 845 x (H) 836-1071 (unit of measure: mm)
- Castor size:**
6 in. (150 mm), 1 anti-static directional castor
- Bed surface:**
(L) 76.4 x (W) 24.4 x (H) 24.4-33.7 (unit of measure: in.)
(L) 1940 x (W) 620 x (H) 620-855 (unit of measure: mm)
- Back-rest angle:** 0-65° (±5°)
- Knee-rest angle:** 0-55° (±5°)
- Trendelenburg & Reverse Trendelenburg angle:** 0-13°
- Maximum load capacity:** 159 kg. (351 lbs.)

ACCESSORIES



IV pole with four hooks



High density coco and palm fibre mattress

HOSPITAL BEDS AND STRETCHER TRANSPORT STRETCHERS



SMP-450ML



BED POSITION



Central brake

FEATURES AND BENEFITS

- Light weight & easy to clean
- Clearly marked arrows allow users to operate easily
- Retractable fifth wheel steering system
- 2 IV pole sockets
- Central brake
- Integrated oxygen tank holder
- Foldable tuck away luxury side rails
- One-handed CPR for quick response in emergencies
- One-handed side release

Size:

(L) 75.2 x (W) 26.5 x (H) 19.7-35.4 (unit of measure: in.)
(L) 1910 x (W) 673 x (H) 500-900 (unit of measure: mm)


Angle of back section: 0-80° (±5°)

Weight: 79 kg. (174 lbs.)

Maximum load capacity: 159 kg. (351 lbs.)

TECHNICAL DETAILS


ACCESSORIES



IV pole with four hooks



Water proof mattress




High density
anti-bedsores mattress



SMP-AAP-T06

Air mattress
Universal for all bed
models



SMP-AMAT

High density coco & palm
fibre mattress
For: SMP-100ML,
200ML,
313EL, 313CB, 350ML



SMP-HMAT-UL

High density latex foam
Universal for all bed
models



SMP-AMAT-H

12cm fire retardant coco
& palm fibre mattress
For: SMP-525EL, 550EL



SMP-NAB-U22 SMP-NAB-U26

Anti bedsores
clinical mattress
(22 kg or 26kg)
Universal for all bed
models



SMP-H450

10 cm high density, fire
retardant foam mattress
For: SMP-450ML



SMP-ALP

Lifting pole system
For: SMP-100ML,
200ML,
313EL, 313CB, 350ML



SMP-HLP

Lifting pole system
For: SMP-525EL, 550EL




SMP-IVP-2H

Dual hook IV pole
Universal for all bed
models



SMP-IVS-4H

Quad hook IV stand
with cross
Universal for all bed
models



SMP-IVP-4H

Quad hook IV pole
Universal for all bed
models



SMP-TSS

Heavy duty
traction system
Universal for all bed
models

ABS CABINETS

SMP-4901-BSC



Width: 48.5 cm

Depth: 48.5 cm

Height: 77 cm

- Kettle base
- Towel hangers located on both sides
- Available Colors: Blue, Green, Dark Grey, White

Available with lockable castors
(SMP-4902-BSC)

SMP-4903-BSC



Width: 48.5 cm

Depth: 48.5 cm

Height: 90 cm

- Pull-out food tray
- Shoe shelf
- Kettle base
- Available Colors: Blue, Green, Dark Grey, White

Available with lockable castors
(SMP-4904-BSC)

SMP-4905-BSC



Width: 48.5 cm

Depth: 48.5 cm

Height: 77 cm

- Cup and Thermometer repository
- Pull-out food tray
- Towel hangers located on both sides
- Available Colors: Blue, Green, Dark Grey, White

Available with lockable castors
(SMP-4906-BSC)

SMP-460-BSC



Width: 49 cm

Depth: 49 cm

Height: 80 cm

- Painted stainless steel construction, ABS top
- Single drawer
- Single cupboard
- Pull-out food tray
- 2 inch lockable castors for easy maneuverability

SMP-470-BSC



Width: 48 cm

Depth: 48 cm

Height: 75 cm

- Metal frame construction, ABS components
- Towel hangers located on both sides
- Pull-out shoe shelf
- 2 inch castors for easy maneuverability
- Kettle base inside the cabinet

SMP-500-BSC



Width: 53 cm

Depth: 52 cm

Height: 72 cm

- Metal frame construction, ABS components
- Towel hangers located on both sides
- Pull-out food tray
- Pull-out shoe shelf
- 2 inch castors for easy maneuverability



REFRIGERATED CABINETS

SMP-310N-BSC



Width: 50 cm

Depth: 50 cm

Height: 70 cm

- High quality laminate construction with aluminum profile
- Single drawer
- Fridge (35 L.)
- 2 inch cross lockable castors

SMP-306SM-BSC



Width: 45 cm

Depth: 45.5 cm

Height: 83 cm

- Steel body supported with aluminum profile
- Compact Laminate Surface
- HPL front panel
- Single drawer with
- ABS separator
- Fridge (35 L.)
- Cross lockable castors

SMP-306M-BSC

Width: 52 cm

Depth: 47.5 cm

Height: 82 cm

- Laminated chipboard body
- Single drawer
- Fridge (35 L.)
- Cross lockable castors



SOLID WOOD CABINETS

SMP-301M-BSC



Width: 50 cm

Depth: 40 cm

Height: 79 cm

- High quality laminate
- Single drawer
- Single cupboard
- Cross lockable castors

SMP-302M-BSC



Width: 43 cm

Depth: 48.5 cm

Height: 76.5 cm

- Laminated body
- Single drawer
- Single large drawer
- Accessory compartment
- Cross lockable castors

SMP-305M-BSC



Width: 52 cm

Depth: 47.5 cm

Height: 83.5 cm

- Laminated body
- ABS plastic top surface
- Dual single drawers
- Single large drawer
- Cross lockable castors

SMP-307M-BSC



Width: 45 cm

Depth: 45.5 cm

Height: 77 cm

- High quality laminate with aluminum profile
- High quality laminate top and front
- Single drawer with separator
- Single cupboard
- Cross lockable castors

SMP-308N-BSC



Width: 50 cm

Depth: 50 cm

Height: 75 cm

- High quality laminate with aluminum profile
- Single drawer
- Single large drawer
- Accessory compartment
- Cross lockable castors

SMP-309N-BSC



Width: 45 cm

Depth: 45 cm

Height: 65 cm

- High quality laminate
- Single drawer
- Single cupboard
- Cross lockable castors

PATIENT ROOM FURNISHINGS OVERBED TABLE

SMP-400M-OBT



Width: 40 x 80 cm

Height Range: 79 – 104 cm

Laminate surface

Gas / spring mechanism

Cross lockable castors

Color options available upon request

SMP-404M-OBT



Width: 42 x 80 cm

Height Range: 79 – 104 cm

ABS plastic surface

Gas / spring mechanism

Cross lockable castors

Color options available upon request

SMP-405M-OBT



Width: 40 x 76.5 cm

Height Range: 79 – 104 cm

Compact laminate surface

Gas / spring mechanism

Cross lockable castors

Color options available upon request

SMP-408N-OBT



Width: 40 x 80 cm

Height Range: 79 – 104 cm

Compact laminate surface

Gas / spring mechanism

Cross lockable castors

Color options available upon request

SMP-409N-OBT



Width: 40 x 80 cm

Height Range: 79 – 104 cm

Compact laminate surface

Gas / spring mechanism

Cross lockable castors

Table top tilting feature

Guard rails

Color options available upon request

SMP-410N-OBT



Width: 40 x 80 cm

Height Range: 79 – 104 cm

Compact laminate surface

Gas / spring mechanism

Cross lockable castors

Table top tilting feature

Guard rails

Table top rubber guards

Color options available upon request



PATIENT ROOM FURNISHINGS

PATIENT ROOM SEATING

SMP-503-ACB

Width: 85 cm

Depth: 86 cm

Height: 81 cm

- Sleek design
- Metal and wooden frame construction
- Armrest with vinyl covering
- Chrome plated legs



SMP-505-ACB

Width: 69 cm

Height: 109 cm

Depth: 86 cm

Extended depth: 196 cm

- Ergonomic & smart design
- Metal and wooden frame construction
- Vinyl and cloth covering
- Polypropylene plastic cleat legs
- Chrome plated legs



SMP-507-ACB

Width: 107 cm

Height: 109 cm

Depth: 86 cm

Extended depth: 196 cm

- Ergonomic & smart design
- Metal and wooden frame construction
- Vinyl and cloth covering
- Polypropylene plastic cleat legs
- Dual castors with brake



SMP-700-SLS



Width: 72 cm

Depth: 75 cm

Height: 73 cm

- Wood and metal frame construction
- Leather or fabric upholstery
- Available in custom colours
- Solid wood varnished legs

SMP-701-SLS



Width: 165 cm

Depth: 83 cm

Height: 73 cm

- Wood and metal frame construction
- Medical grade leather or fabric upholstery
- Available in custom colours
- Chrome plated legs

SMP-702-SLS



Width: 75 cm

Depth: 76 cm

Height: 75 cm

- Wood and metal frame construction
- Medical grade leather or fabric upholstery
- Available in custom colours
- Chrome plated legs

SMP-700-DLS



Width: 165 cm

Depth: 83 cm

Height: 73 cm

- Wood and metal frame construction
- Medical grade leather or fabric upholstery
- Available in custom colours
- Chrome plated legs

SMP-701-DLS



Width: 174 cm

Depth: 76 cm

Height: 75 cm

- Wood and metal frame construction
- Medical grade leather or fabric upholstery
- Available in custom colours
- Chrome plated legs

SMP-702-DLS



Width: 66 cm

Depth: 73 cm

Height: 73 cm

- Solid wood frame construction
- Medical grade leather or fabric upholstery
- Available in custom colours
- Varnished wood armrest & legs

PATIENT ROOM FURNISHINGS

EXAMINATION TABLE AND PATIENT ROOM STORAGE

SMP-EXM-B

Contemporary Examination Table



Width: 60 cm

Length: 215 cm

Height: 113 cm

- Melamine frame
- Dual drawers
- High density foam mattress
- Headrest adjustment via damper mechanism

SMP-EXM-E

Electric Examination Table



Width: 60 cm

Length: 202.5 cm

Height: 55.5 - 91 cm

- Metal frame
- High density foam mattress
- Headrest adjustment via damper mechanism
- Electronic height adjustment

SMP-EXM-D

Deluxe Examination Table



Width: 60 cm

Length: 215 cm

Height: 113 cm

- Melamine frame
- Solid wood wardrobe attached
- Underbed storage cabinet with 3 lockable drawers included
- High density foam mattress
- Paper roll dispenser
- Headrest adjustment via damper mechanism

SMP-100-PRS



(L) 50 cm x (D) 52 cm x (H) 190.5 cm

- Melamine & laminated wood construction
- 3 shelves

SMP-101-PRS



(L) 80 cm x (D) 52 cm x (H) 190.5 cm

- Melamine & laminated wood construction
- 3 shelves

SMP-102-PRS



(L) 80 cm x (D) 52 cm x (H) 190.5 cm

- Melamine & laminated
- 4 shelves

SMP-103-PRS



(L) 80 cm x (D) 52 cm x (H) 190.5 cm

- Melamine & laminated wood construction
- 4 shelves

SMP-700A



- Width: 76 cm., Depth: 58.5 cm., Height: 101 cm.
- Aluminum-Alloy, ABS plastic and stainless steel construction 42 case-history folder compartments with lock key system
- One multi-purpose sliding drawer
- Light weight
- 4 swivel noiseless castors (2 with brakes)

SMP-700C



- Width: 76 cm., Depth: 58.5 cm., Height: 104.5 cm.
- Aluminum-Alloy, ABS plastic and stainless steel construction
- 6 layers of small drawers & 3 layers of big drawers
- Drawers contain various medicine boxes for different storage purposes
- 4 swivel noiseless castors (2 with brakes)

SMP-700D



- Width: 85 cm., Depth: 65 cm., Height: 110 cm.
- Aluminum-Alloy, ABS plastic and stainless steel construction
- Equipped with: 2 sliding side boards, IV pole with 8 hooks, 2 storage shelves below large multipurpose drawer
- 4 swivel noiseless castors (2 with brakes)

SMP-800A



- Width: 73.5 cm., Depth: 60 cm., Height: 105 cm.
- Aluminum-Alloy, ABS plastic and stainless steel construction
- Marble surface
- Equipped with: 6 layers of drawers with 10 dividers in each drawer for medicine storage, waste-storage bin at the bottom of trolley
- 4 swivel noiseless castors with central-locking braking system

SMP-850EB



- Width: 85 cm., Depth: 52 cm., Height: 101 cm.
- Aluminum-Alloy, ABS plastic and stainless steel construction
- 5 layers of drawers
- Stainless steel top plate
- Equipped with: 2 waste bins, needle disposal container, sliding side board, transparent filing box, oxygen cylinder holder, CP board & IV pole
- 4 swivel noiseless castors with brakes

SMP-850M



- Width: 85 cm., Depth: 52 cm., Height: 101 cm.
- Aluminum-Alloy, ABS plastic and stainless steel construction
- 6 layers of drawers with lock key system
- 50 medicine boxes in each drawer
- Equipped with: 2 garbage bins, transparent filing box, sliding side board, hanging device with 5 hooks
- 4 swivel noiseless castors with brakes

SMP-860A



- Width: 85 cm., Depth: 59 cm., Height: 104 cm.
- Aluminum-Alloy, ABS plastic and stainless steel construction
- Equip with CPR board, Oxygen Cylinder holder, Needle disposal bottle and Power device(With socket sliding cover and Automatic winding mechanism)
- 6 Layers of drawer, stainless steel top working plate, 1pc transparent file box, 1pc sliding board, 1pc salver for monitor/computer, 1 pc I.V. Pole, and 1pc infrared intelligent dustbin
- 4 pcs universal castors, Φ100mm, 2 with brake, 2 without
- Net Weight: 69kg

SMP-860J



- Width: 85 cm., Depth: 59 cm., Height: 104 cm.
- Aluminum-Alloy, ABS plastic and stainless steel construction
- Equip with CPR board, Oxygen Cylinder holder, Needle disposal bottle and Power device(With socket sliding cover and Automatic winding mechanism)
- 4 Layers of drawer, stainless steel top working plate, 3pcs large transparent file box, 1pc sliding board, 1pc salver for monitor/computer, 1 pc I.V. Pole, and 1pc infrared intelligent dustbin
- 4 pcs universal castors, Φ100mm, 2 with brake, 2 without
- Net Weight: 69kg

SMP Canada
10 Sims Crescent Unit 1
Richmond Hill, Ontario, Canada
L4B 1K9
Tel: 1-905-764-7767 | Fax: 1-866-627-9798
info@smpcanada.com
www.smpcanada.com



@smp_canada



@smpcanada



@smpcanada

Solutions Start Here

Distributed By: